

DELL24 MONITOR & DELL27 MONITOR

SE2423DS SE2723DS



THE WORLD'S # 1 MONITOR COMPANY^{*}

DELL MONITORS-SE-series SE2423DS/SE2723DS

Take on your day comfortably with these 23.8" & 27" QHD monitors featuring a height-adjustable stand, ComfortView Plus and In-Plane Switching technology.

		And of Local Sensitive Market Access Control Sensitive Market Ac	and Bally (1999) (1999) (1999) (1999) (1997)	to	
	B: actory B: actory C: actory C: actory	rs12) AAA and Taracean Argung to mental ang men mental ang Taracean Argung ang mental sa ang mental ang mental ang mental sa ang mental ang mental ang mental ang mental sa ang mental ang mental ang mental ang mental ang mental ang mental sa ang mental ang mental sa ang mental ang mental sa ang mental ang me	-		
			eseret es	1111	
2 0		C. C	1		

Superb Screen Quality

See color uniformity across wide viewing angles of 178° / 178° on an anti-glare screen with In-Plane Switching technology. QHD resolution helps you see crisp and clear visuals of up to 1.77 times more detail than Full HD.

Ease of use

Instantly toggle content from different devices via parallel connection through the DP and dual HDMI 1.4 ports.

Dell's TÜV-certified ComfortView Plus feature



Flicker Free Low Blue Light (Hardware Solution)

www.tuv.com ID 1111248305

Stay organized

Organize your view of multiple windows on a single screen with Dell Easy Arrange.

Reduce desk clutter with the built-in power supply unit (PSU) and a discreet cable holder on the stand riser.



SE2423DS/SE2723DS

23.8" & 27" QHD monitors with height-adjustable stand

In-Plane-Switching (IPS) Technology

Experience superb visuals and rich colors including 99% sRGB color across a wide viewing angle

3-sided Ultrathin bezels mean few er distractions and an improved view able screen-to-body ratio

For leisure gaming -

Smooth gameplay with AMD FreeSync[™], and up to 75Hz refresh rate.

Secure in place

Easily affix the monitor to the w all with the VESAcompatible mount. (Optional VESA mount purchase separately).



Environmentally conscious

Monitor is shipped Styrofoam-free, all-in packaging made of at least 75% recycled cardboard. Optimize eye comfort with built-in ComfortView Plus that reduces harmful blue light emissions without sacrificing color performance

View with comfort

Make swift height adjustments of your monitor of up to 100mm via the sturdy, heightadjustable stand.

DELL MONITORS-SE-series

.....

DELL 27 MONITOR - SE2723DS DELL 24 MONITOR - SE2423DS TECHNICAL SPECIFICATION TECHNICAL SPECIFICATION

Viewable image size (diagonal)	68.47 cm (27.0")	60.45 cm (23.8")			
Active display area (horizontal x vertical)	596.74 mm x 335.66 mm (23.49" x 13.21") 526.85 mm x 296.35 mm (20.74" x 11.67")				
Panel technology	In-Plane Switching (IPS); Anti-glare with 3H hardness				
Maximum preset resolution	QHD (2560 x 1440) at 75Hz				
Aspectratio	16:9				
Pixel pitch	0.2331 mm x 0.2331 mm	0.2058 mm x 0.2058 mm			
Brightness (typical)	350 cd/m ² 300 cd/m ²				
Color gamut (typical)	99% sRGB				
Color depth	16.7 million colors				
Contrast ratio (typical)	1,000 : 1				
Typical viewing angles (vertical / horizontal)	178° / 178°				
Response time	4ms gray to gray in extreme mode 5ms gray to gray in fast mode 8ms gray to gray in normal mode				
Backlight	LED edgelight system				
Audio Output	Yes, external speaker only				
AMD FreeSync™	Yes, supports AMD FreeSync™ technology with refresh rate of 75Hz				
Picture-by-Picture (PBP) / Picture-in-Picture (PIP)	No				
TÜV-certified	Yes, ComfortView Plus ¹ with Flicker-free screen				
Dell Display Manager compatibility	Yes, with Dell Easy Arrange				
Connectivity	2x HDMI 1.4 (HDCP 1.4), 1x DP 1.2 (HDCP 1.4), 1x Audio line-out port				
Stand adjustability	Height adjustment up to 100mm (3.9") Tilt -5° / 21°				
Stand features	Built-in cable holder on the stand riser				
VESA mount compatible	Yes, 100 mm x 100 mm				
Security lock slot (based on Kensington Security Slot \times	Yes (cable lock sold separately)				
Power AC input voltage/frequency/current	100 VAC to 240 VAC / 50 Hz or 60 Hz ± 3 Hz / 1.0 A (typ)				
Pow er consumption (Operational)	0.3 W (Off Mode) 0.3 W (Standby Mode) 20.0 W (On Mode) 30.0 W (Max)	0.3 W (Off Mode) 0.3 W (Standby Mode) 18.0 W (On Mode) 30.0 W (Max)			
Dimensions (HxWxD) Panel only	364.40 mm x 611.58 mm x 54.56 mm	322.10 mm x 537.80 mm x 54.57 mm			
	(14.35" x 24.08" x 2.15")	(12.68" x 21.17" x 2.15")			
Monitor head with stand	403.08 mm x 611.58 mm x 205.00 mm (15.87" x 24.08" x 8.07")	361.77 mm x 537.80 mm x 189.00 mm (14.24" x 21.17" x 7.44")			
Weight Panel only (for VESA mount) Monitor and cables with full packaging	4.36 kg (9.60 lbs) 7.88 kg (17.37 lbs)	3.53 kg (7.78 lbs) 6.37 kg (14.04 lbs)			
Environm ental com pliance	RoHS-compliant, BFR/PVC-reduced monitor (excluding external cables), Arsenic-free glass and Mercury-free for the panel only.				
Standard service plan	3-year Advanced Exchange Service ² & Limited Hardware Warranty ³				
What's Included	Monitor panel, Stand riser, Stand base, VESA™ screw cover, Power cable, HDMI 1.4 cable (1.8m), Quick setup guide, Safety / Environmental / Regulatory Information.				

¹ComfortView Plus feature reduces blue light emission and optimizes eye comfort without color compromise.
²Advanced Exchange Service: Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis.
Fee charged for failure to return defective unit. Availability varies. Other conditions apply.
³For a copy of the Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see Dell.com/warranty. Technical specifications subject to change without prior notice.

Product asystemical specifications adjust to characterize which are a second to be a second to b